

A comparative study of two new conjugate gradient methods

Mohamed Hamoda, Abdelrhaman Abashar, Mustafa Mamat, and Mohd Rivaie

Citation: *AIP Conference Proceedings* **1643**, 616 (2015); doi: 10.1063/1.4907502

View online: <http://dx.doi.org/10.1063/1.4907502>

View Table of Contents: <http://scitation.aip.org/content/aip/proceeding/aipcp/1643?ver=pdfcov>

Published by the *AIP Publishing*

A Comparative Study of Two New Conjugate Gradient Methods

Mohamed Hamoda^a, Abdelrhaman Abashar^b, Mustafa Mamat^c, Mohd Rivaie^d

^{a,b} *School of Informatics and Applied Mathematics, Universiti Malaysia Terengganu (UMT), Malaysia.*

^c *Department of Computational & Applied Mathematics, Faculty of Informatics and Computing, Universiti Sultan Zainal Abidin, Kampus Tembila, Besut, Malaysia.*

^d *Department of Computer Science and Mathematics, Univesiti Teknologi MARA (UITM) Terengganu, Campus Kuala Terengganu, Malaysia.*

Abstract. In this paper, we compared the performance profile of the classical conjugate gradient coefficients FR , PRP with two new β_k . These two new β_k possess global convergence properties using the exact line search. Preliminary numerical results show that, the two new β_k is very promising and efficient when compared to CG coefficients FR , PRP .

Keywords: Conjugate gradient coefficient, exact line search, global convergence, large scale, unconstrained optimization.

PACS: 02.60.Pn, 02.60.Cb, 02.70.C

<http://scitation.aip.org/content/aip/proceeding/aipcp/10.1063/1.4907502>